

Quality
MADE IN
Germany

**REINFORCED POOL
& NATURAL POOL
MEMBRANES**

COMBINED IN ONE CATALOGUE


2022/23 PRODUCT CATALOGUE

.....
Reinforced swimming pool membranes
Natural pool and swimming pond membranes
Accessories for professional installation

www.elbtal-plastics.de | www.ELBEpools.com

ELBE®

POOL SURFACE | MADE IN GERMANY




ELBE Pool Surface®
.....
Beauty, that never fades



Index

Reinforced swimming pool membranes

 pure	4
ISLAND DREAMS	6
Royal	7
elite® elite® Non-Slip	8
PEARL	10
SUPRA	11
Classic	12
Non-Slip	13
ULTIMATE BORDER™	14

Natural pool and swimming pond membranes

Natural PEARL	16
Natural SUPRA	17
Natural Classic	18
Natural Classic Non-Slip	18
General information about maintenance and servicing	19

Product characteristics

ELBE Pool Surface®	20
ELBE Natural Surface®	21

Accessories

Liquid PVC	22
Bottle for liquid PVC	22
Coated metal sheets and profiles	22
Protective fleece	23
Mounting and fixing parts	23
ULTIMATE BORDER™ and marking accessories	23

Information

Training center	24
Marketing-communication support & samples	26

PURE



3D-SURFACE



BIOCID-
PROTECTION




CHLORINE
RESISTANT



UV
RESISTANT



SCRATCH
RESISTANT





PURE



pure

Pool Passion

Printed reinforced membrane with 3D relief

In harmony with nature. Inspired by the colors, shapes and textures of a natural stone, the decorations of this membrane give the illusion of authentic rocky landscapes. The exclusive shades and patterns offer intense sensations of comfort, serenity, and warmth. The sophisticated textured 3D surface blends harmoniously into the natural environment of the pool and the unique visual rendering of this membrane combines perfectly with its excellent technical properties, for the purest pleasure of swimming.

Natural designs | 3D surface | UV and chlorine resistance | Stain resistant | Easy to clean

Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness **1.8 mm**

Roll length **21 m**


Width **1.65 m**

Package **8 Rolls per pallet**



pure Terra Sand

Ref. No. 2001265
Recommended liquid PVC: Transparent




pure Ocean Grey

Ref. No. 2001266
Recommended liquid PVC: Transparent

Available in stock

HEAD-TO-HEAD WELDING

.....
WITH UNDERLAYER
WELDING STRIPE





YOUR BEACH AT HOME



Your beach at home.



Reinforced membrane printed with 3D relief

Aruba, Fiji, Santorini, or Maui - from the ISLAND DREAMS range are inspired by the most beautiful beaches in the world. ISLAND DREAMS membranes impress with their natural look, the elegance of their design and their exclusive relief membrane. In addition to its visual assets, the ISLAND DREAMS range of membranes offers the greatest possible safety at the level of the steps, slopes, and entrance areas of the pool thanks to an exceptional 3D relief certified non-slip.

Unique designs | Special embossing surface | Non-Slip protection level C | UV and chlorine resistance | Stain resistant
Easy to clean | Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness **2.0 mm** Roll length **20 m** Width **1.60 m** Package **6 Rolls per pallet**



ISLAND Aruba

Ref. No. 2001175
Recommended liquid PVC: Sand



ISLAND Santorini

Ref. No. 2001176
Recommended liquid PVC: Light Grey



ISLAND Fiji

Ref. No. 2001180
Recommended liquid PVC: White



ISLAND Maui

Ref. No. 2001174
Recommended liquid PVC: Black

Available in stock



FOR A
ROYAL PLEASURE



ROYAL



Printed reinforced membrane with 3D relief marble effect

A touch of luxury. Royal membranes combine glamorous design and excellent technical properties. This superb 3D marbled surface offers luxury and refinement to every pool.

Luxurious marble effect | 3D surface | UV and chlorine resistance | Stain resistant | Easy to clean
Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness **1.8 mm**

Roll length **20 m**

Width **1.65 m**

Package **8 Rolls per pallet**



Royal Victoria

Ref. No. 2001193
Recommended liquid PVC: White



Royal Elisabeth

Ref. No. 2001194
Recommended liquid PVC: White




Royal Louis

Ref. No. 2001192
Recommended liquid PVC: Black



Available in stock

THE FUTURE IN YOUR POOL TODAY



WARRANTY
15
YEARS
WATERTIGHTNESS

WARRANTY
5
YEARS
CHLORINE
RESISTANCE

WARRANTY
5
YEARS
STAIN
RESISTANCE

KIDS
FRIENDLY
EN 71-3

LOWEST
FUME EMISSION

ELITE

See our condition guidelines

Phthalate-free reinforced membrane with exclusive surface protection

Thanks to its unique formula and exceptional properties, elite® offers unique protection against stains that can be caused by external factors (cosmetics and sunscreens for example). The phthalate-free membrane not only offers optimal protection against dirt along the waterline, but also convinces with its extreme UV resistance and color durability, as well as its ease of cleaning.

EXTREME UV resistance | **EXTREME chlorine resistance** | **EXTREME stain resistance** | **EXTREMELY easy to clean**
EXTREMELY easy to weld | **Phthalate free**

elite®:	Thickness	1.5 mm	Roll length	25 m	Width	1.65 m 2.00 m	Package	8 Rolls per pallet
elite® Non-Slip:	Thickness	1.9 mm	Roll length	10 m	Width	1.65 m	Package	15 Rolls per pallet



elite® Deep Sea

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001068 2001119 2001076



elite® Sand Beach

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001070 2001120 2001078



elite® Blue Sky

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001069 2001118 2001077




elite® Arctic White

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001071 2001117 2001079



elite® Grey Rock

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001073 2001121 2001080



elite® Black Stone

Width 1.65 m 2.00 m Non-Slip
 Ref. No. 2001122 2001123 2001124



Reinforced membrane with specific surface finish and printing with unique pearlescent reflections

Thanks to its extraordinary reflective properties, PEARL radiates a unique brilliance in each pool – the sophisticated impression of the surface creates an exclusive play of light. This coating not only impresses with its design since PEARL combines an exceptional visual effect with a high-quality coating that guarantees protection against stains and fading.

Pearlescent reflection effect | UV and chlorine resistance | Stain resistant | Easy to clean

Thickness **1.6 mm**

Roll length **25 m**

Width **1.65 m**


Package **8 Rolls per pallet**



PEARL Black

Ref. No. 2000776

Recommended liquid PVC: Dark Grey



PEARL Blue

Ref. No. 2000777

Recommended liquid PVC: Navy Blue



PEARL White

Ref. No. 2000787

Recommended liquid PVC: White



PEARL Sand

Ref. No. 2000984

Recommended liquid PVC: Sand



PEARL Silver Lagoon

Ref. No. 2000939

Recommended liquid PVC: Lagoon



PEARL Silver Black

Ref. No. 2001007

Recommended liquid PVC: Black



PEARL Silver Moon

Ref. No. 2001245

Recommended liquid PVC: Dark Grey



PEARL Silver Ice

Ref. No. 2001247

Recommended liquid PVC: White

Available in stock



SUPRA



Varnished reinforced membrane

SUPRA finishing membrane impress not only for its high stability against chlorine and UV, but also for its classic colors and harmonious designs. The high-quality coating also ensures easy cleaning and additional protection against stains and fading.

UV and chlorine resistance | Stain resistant | Easy to clean

Thickness **1.5 mm**

Roll length **25 m**

Width **1.65 m | 2.00 m**

Package **8 Rolls per pallet**

SUPRA Sand

Width 1.65 m 2.00 m
Ref. No. 2000051 2000054



SUPRA Light Blue

Width 1.65 m 2.00 m
Ref. No. 2000052 2000053



SUPRA Adriatic Blue

Width 1.65 m 2.00 m
Ref. No. 2000410 2000409



SUPRA Light Grey

Width 1.65 m 2.00 m
Ref. No. 2000961 2001074



SUPRA Dark Grey

Width 1.65 m 2.00 m
Ref. No. 2000786 2000910



SUPRA White

Width 1.65 m 2.00 m
Ref. No. 2000049 2000048



SUPRA Blue Mosaic

Width 1.65 m
Ref. No. 2001177
Recommended liquid PVC: White



SUPRA Grey Mosaic

Width 1.65 m
Ref. No. 2001190
Recommended liquid PVC: White



SUPRA Blue Marble

Width 1.65 m
Ref. No. 2001191
Recommended liquid PVC: White




SUPRA Azur Mosaic

Width 1.65 m
Ref. No. 2001195
Recommended liquid PVC: White



Available in stock

Classic



Ultra-resistant reinforced membrane

Extremely resistant to tearing and wear, Classic membrane stands out for its quality and offers long-lasting bathing comfort. Thanks to its wide variety of colors, imagination has no limits: Classic membranes can be combined individually with each other for personalization and a unique design in each pool.

UV and chlorine resistance | Stain resistant | Easy to clean

Thickness **1.5 mm**

Roll length **25 m**

Width **1.65 m | 2.00 m**

Package **8 Rolls per pallet**

Classic Sand

Width 1.65 m 2.00 m

Ref. No. 2000405 2000406



Classic Light Blue

Width 1.65 m 2.00 m

Ref. No. 2000403 2000404



Classic Adriatic Blue

Width 1.65 m 2.00 m

Ref. No. 2000061 2000063



Classic Turquoise

Width 1.65 m 2.00 m

Ref. No. 2000057 2000058



Classic Light Grey

Width 1.65 m 2.00 m

Ref. No. 2000073 2000072



Classic Dark Grey

Width 1.65 m 2.00 m

Ref. No. 2000529 2000528



Classic Black

Width 1.65 m 2.00 m

Ref. No. 2000579 –



Classic White


Width 1.65 m 2.00 m

Ref. No. 2000045 2000047



Available in stock

Non-Slip



Non-slip reinforced membrane

No slipping. No slippage. The non-slip membrane meets high regulatory requirements to prevent slips or falls on stairs, children's paddling pools or gentle slopes in swimming pools. Its rice grain-shaped relief offers comfort and a pleasant touch, whether walking or sitting. The wide variety of colors ideally allows the customization of each pool.

Classic

Special embossing surface structure | UV and chlorine resistance | Easy to clean

Thickness **1.9 mm**

Roll length **10 m**

Width **1.65 m**

Package **15 Rolls per pallet**

Classic Non-Slip Sand

Ref. No. 2000766



Classic Non-Slip Light Blue

Ref. No. 2000768



Classic Non-Slip Adriatic Blue

Ref. No. 2000772



Classic Non-Slip Turquoise

Ref. No. 2000769



Classic Non-Slip Light Grey

Ref. No. 2000767



Classic Non-Slip Dark Grey

Ref. No. 2000771



Classic Non-Slip Black

Ref. No. 2000770



Classic Non-Slip White

Ref. No. 2000765



SUPRA

Special embossing surface structure | UV and chlorine resistance
Stain resistant | Easy to clean

Thickness **2.1 mm**

Roll length **10 m**

Width **1.65 m**

Package **15 Rolls per pallet**



SUPRA Non-Slip Blue Mosaic

Ref. No. 2001239
Recommended liquid PVC: White

Available in stock

A WATERLINE
ALWAYS IMPECCABLE



ULTIMATE BORDER™

Waterline Protection.

Pool border

With the ULTIMATE BORDER™ range, the waterline is a real eye-catcher. Equipped with an innovative surface treatment, this frieze will not offer any adhesion to dirt, even the most stubborn, avoiding any discoloration at the waterline. Thanks to its unique protective coating, ULTIMATE BORDER™ is characterized by optimal resistance to stains and scratches, and greatly facilitates cleaning.**

ULTIMATE chlorine resistance | **ULTIMATE** stain resistance | **ULTIMATE** scratch resistance | **ULTIMATE** easy to clean effect

Thickness **1.2 mm**

Roll length **25 m**

Height **26 cm | Blue Surf 27.5 cm**

Package **1 Roll per carton**



ULTIMATE White

Ref. No. 2100406



ULTIMATE Sand

Ref. No. 2100404



ULTIMATE Light Blue

Ref. No. 2100405



ULTIMATE Light Grey

Ref. No. 2100407



ULTIMATE Blue Mosaic

Ref. No. 2100398



ULTIMATE Terracotta Mosaic

Ref. No. 2100399




ULTIMATE Blue Surf

Ref. No. 2100408



* Only available while stocks last

** See our condition guidelines



ELBE NATURAL SURFACE®

NATURAL POOL- & SWIMMING POND LINERS

.....

PARADISE


IN YOUR OWN GARDEN



NATURAL SURFACE | MADE IN GERMANY

INNOVATIVE DESIGN SPECIAL COATED SURFACE

© www.stawy-kapielowe.pl



Natural PEARL

Reinforced membrane for swimming pools with unique reflections and special coated surface

Natural PEARL swimming pond membranes are the most efficient in their class: whether it is a biological pool, a swimming pond or a natural pool, the Natural PEARL membrane is perfectly suited for use in natural waters and offers a unique bathing experience immersed in nature. Thanks to their extraordinary reflective properties, Natural PEARL swimming pond membranes offer a natural shine. Thanks to a specific surface treatment, the Natural PEARL range is particularly easy to clean. Biofilm removal is easy. The Natural PEARL membrane not only impresses with its natural appearance: it also ensures high UV resistance, slowing down the premature aging of the membrane. And the ease of installation perfectly complements the exceptional properties of this reinforced membrane.

Unique reflection effect | UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness **1.6 mm**

Roll length **25 m**

Width **1.65 m**

Package **8 Rolls per pallet**

Dark Green

Ref. No. 2001141



Slate Grey

Ref. No. 2001140




Available in stock

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

OPTIMAL DURABILITY
AND SAFETY

NATURAL SUPRA



Natural SUPRA

Reinforced membrane with special coated surface

Natural SUPRA reinforced membrane guarantees the pleasure of an authentic swim in the middle of nature. This membrane has a special treatment that is easy to clean, and its specific surface finish protects against premature aging, thus increasing its lifespan.

UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness **1.5 mm**

Roll length **25 m**

Width **2.00 m**

Package **8 Rolls per pallet**

Dark Green

Ref. No. 2001139



Slate Grey

Ref. No. 2001137



Light Grey

Ref. No. 2001264



Sand

Ref. No. 2001209



Available in stock

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

Natural Classic



Reinforced pond membrane

Natural Classic is a reinforced membrane for coating swimming ponds or natural pools. This waterproofing membrane is particularly resistant to external influences and has an exceptional longevity. This reinforced membrane, tested according to EN 71-3 consists of ultra-pure raw materials, as well as Natural PEARL and Natural SUPRA, which are among the most health-friendly membranes on the natural swimming pool market. Natural Classic also stands out from a sanitary point of view, unlike other competing products, since it emits the lowest level of fume emission during welding, thus preserving the health of installers.

UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness **1.5 mm**

Roll length **25 m**

Width **2.00 m**

Package **12 Rolls per pallet**

Green/Black

Ref. No. 2000366



Available in stock

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

Natural Classic Non-Slip



Non-slip reinforced membrane

In addition to their exceptional designs, the safety of steps in natural pools and swimming pools is a priority. The non-slip Natural Classic reinforced membrane ensures maximum access security, especially at stairs and various areas around the natural pool. Manufactured in accordance with regulations according to EN 71-3, the non-slip membrane not only offers comfort and a pleasant touch, but also guarantees the utmost safety, whether walking or sitting.

Special embossing surface structure | UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness **1.9 mm**

Roll length **10 m**

Width **1.65 m**

Package **15 Rolls per pallet**

Green/Black

Ref. No. 2000920



* Only available while stocks last

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.



General information about maintenance and servicing

- The membranes of natural pools and swimming pools of the **ELBE Natural Surface®** range are suitable for natural water treatment (by filtration for example).
- Regular maintenance preserves water quality (e.g., by sucking leaves and pollen).
- Before entering the pool, it is recommended to remove makeup and take a shower to get rid of any sunscreen (Preservation of the biological balance of the water).
- Easy and environmentally friendly cleaning without chlorine-based products.
- Cleaning with soft cloths or sponges (do not use hard brushes or pressure washers!).
- Easy winter maintenance (e.g., with the installation of a net tarpaulin to retain the leaves)

More tips for servicing?

You will find further information in our product datasheets.






The proper use and treatment of our products is the responsibility of the installer. For further information, we recommend that you refer to the guidelines of the "**Research Society for Landscape Development and Landscape Construction e.V.**": recommendations and guidelines for the planning, construction, maintenance, and operation of outdoor swimming pools with biologically treated water (natural pools and swimming pools).



Product characteristics

PRODUCT FEATURES	elite Superior pools.	PEARL NEW	ISLAND DREAMS Your space. At home.	Royal Luxury pools.	pure Pool Passion	SUPRA	SUPRA print	Classic	ULTIMATE BORDER Made in Germany
------------------	--------------------------	--------------	--	------------------------	----------------------	-------	----------------	---------	---------------------------------------





TECHNICAL FEATURES

Approved for public pools (KSW)	 best option	✓	✓			✓		✓	
Manufactured according to EN 15836-2	✓	✓	✓	✓	✓	✓	✓	✓	
UV resistance	 ++++	++++	++++	++++	++++	++++	++++	++	++++++
Chlorine resistance	 ++++	++	++	++	++	++	++	+	++++++
Scratch resistance	 +++	++	++	++	++	++	+++	+	+++++
Non-Slip	 ✓		✓					✓	

HEALTH AND ENVIRONMENT

EN 71-3 – kidsfriendly	 ✓	✓	✓	✓	✓	✓	✓	✓	
Phthalate free baby and kidsfriendly	 ✓								
Lowest fume emission during welding	 ✓	✓	✓	✓	✓	✓	✓	✓	✓

SURFACE AND CLEANING

Surface easy to clean	 ++++	++	++	++	++	++	++	+	++++++
Stain resistant	 ++++	++	++	++	++	++	++	+	++++++
Printed designs	 ✓	✓	✓	✓	✓		✓		✓
3D structure surface	 ✓		✓	✓	✓				

WARRANTIES

Permissible water temperature	35 °C	33 °C	33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	35 °C
Warranty watertightness	15 years	15 years	15 years	15 years	15 years	15 years	15 years	15 years	
Warranty stain resistance	5 years								5 years
Warranty chlorine resistance	5 years								5 years

Please refer to the technical data sheets for detailed information on specific item.

Product characteristics

PRODUCT FEATURES		Natural PEARL	Natural SUPRA	Natural Classic
APPLICATIONS				
Swimming ponds, natural ponds		✓	✓	✓
(Artificial) ponds and lakes		✓	✓	✓
Irrigation basins, fire protection ponds, rainwater retention reservoirs				✓
TECHNICAL FEATURES				
Reinforced (high strength and dimensional stability)		✓	✓	✓
Coated surface		✓	✓	
UV stability		✓	✓	✓
Cold and weather resistance		✓	✓	✓
Non-Slip				✓
HEALTH AND ENVIRONMENT				
EN 71-3 – kidsfriendly		✓	✓	✓
Non-toxic for fish and plants		✓	✓	✓
Lowest fume emission during welding		+++	+++	+++
SURFACE AND CLEANING				
Surface easy to clean		+++	+++	+
Stain resistant		+++	+++	+
Less biofilm		✓	✓	
Printed designs		✓		
WARRANTIES				
Warranty watertightness		15 years	15 years	10 years

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

Accessories

For professional installation of our swimming pool, natural pool and swimming pond membranes

Our **ELBE Pool Surface®** membranes are suitable for indoor and outdoor pool coverings, regardless of the shape or size of the pool. This applies to new constructions, to the renovation of existing pools made of different concrete, masonry, wood, steel, aluminum, polyester supports as well as for earthen pools fixed on slopes up to 60 °.

Our **ELBE Natural Surface®** membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.

ELBE liquid PVC

(Delivery only in full Package units)

Content **950 ml per can**

Package **6 cans per box**



We recommend the application of **ELBE liquid PVC** to ensure sealing and take care of the aesthetic appearance of the weld seam. However, this product does not replace the hot air welding quality of reinforced membranes. It also drastically reduces dirt deposits at the weld seam. It should be noted that all **ELBE liquid PVCs**, with the exception of green, dark green and slate grey, contain biocides and can therefore only be limited in their use in natural swimming pools. The viscosity can be improved with the addition of acetone.

Our liquid PVCs match the colors of our membranes and are recommended as follows:

Suitable for: Classic, SUPRA, ISLAND DREAMS, PEARL, Royal, pure

Color	Sand	Light Blue	Adriatic Blue	Navy Blue	Turquoise	Lagoon
Ref. No.	2100056	2100053	2100048	2100246	2100049	2100274
Color	Light Grey	Dark Grey	Black	White	Transparent	
Ref. No.	2100046	2100154	2100190	2100054	2100055	

Suitable for: elite®

Color	Arctic White	Sand Beach	Blue Sky	Deep Sea	Grey Rock	Black Stone
Ref. No.	2100393	2100394	2100395	2100396	2100403	2100536

Suitable for: Natural PEARL, Natural SUPRA, Natural Classic

Color	Slate Grey	Dark Green	Green
Ref. No.	2100537	2100538	2100215

Bottle for liquid PVC

Content **500 ml** Package **from 1 pc**

Ref. No. 2100085



Coated metal sheets and profiles

Thickness **1.2 mm**



	Sheet	Sheet*	Sheet stainless steel V2A	Exterior angle	Interior angle	Strip
Color	Blue	Grey	Blue	Blue	Blue	Blue
Dimensions	2000 × 1000 mm	2000 × 1000 mm	2000 × 1000 mm	70 × 30 × 2000 mm	70 × 30 × 2000 mm	70 × 2000 mm
Package	1 pallet = 30 pcs 4 pallets = 120 pcs	1 pallet = 30 pcs 4 pallets = 120 pcs	1 pallet = 30 pcs 4 pallets = 120 pcs	10 pcs 500 pcs	10 pcs 500 pcs	10 pcs 500 pcs
Ref. No.	2100063	2100078	2100346	2100068	2100067	2100071

* Available on request

Protective fleece

Polyester fleece 300 g/m², 1.5 m × 50 m
DIN 4102 B2 (drillable), White

Thickness 1.5 mm
Package 6 Rolls per pallet
Ref. No. 2100358



Polyester fleece 300 g/m², 2 m × 50 m
DIN 4102 B2 (drillable), White

Thickness 1.5 mm
Package 6 Rolls per pallet
Ref. No. 2100061

Fleece adhesive

Content 5 kg
Package 1 unit
Ref. No. 2100397



Mounting and fixing parts

Fastener rivets short

Dimensions 4.8 mm × 20.3 mm
Package 12 / 48 packs per box
Content per 200 pcs
Ref. No. 2100275



Fastener rivets long

Dimensions 4.8 mm × 35 mm
Package 12 packs per box
Content per 100 pcs
Ref. No. 2100382



Rigid plastic profile* White, vertical

Length 2 m
Package from 1 pc
Ref. No. 2100286



Rigid plastic profile* White, horizontal

Length 2 m
Package from 1 pc
Ref. No. 2100387

Liner locking strip* White

Length 30 m
Package 10 Rolls per box
Ref. No. 2100285



Welding stripe 1.5 mm

Dimensions 9 mm × 25 m
Package 10 Rolls per box
Ref. No. 2100352

Underlayer welding stripe 1.5 mm

Dimensions 15 cm × 25 m
Package from 1 Roll
Ref. No. 2100799



ULTIMATE BORDER™ fixing tape*

Dimensions 50 mm × 50 m
Package from 1 Roll
Ref. No. 2100419

Please refer to the installation guidelines

Contact glue Köralit F 143

Content 700 g
Package 6 pcs per pack
Ref. No. 2100042



Cold welding agent THF

Content 1000 ml
Package 6 pcs per pack
Ref. No. 2100039

Marking accessories

Marking lines Black

Dimensions 1.5 mm × 25 m × 25 cm
Package from 1 Roll
Ref. No. 2100271



* Only available while stocks last

Training Center

A CONCENTRATE OF EFFICIENCY
THE ESSENTIALS OF THE INSTALLATION FOR PROFESSIONALS
GATHERED IN A SINGLE SESSION

Premium quality requires premium installation

Going pro means learning from the pros! We offer ad hoc training sessions at our state-of-the-art training center in Coswig, Germany. Here, you or your customers will receive from our experts all the essential skills and knowledge for a professional installation of our reinforced membranes. On this occasion, you will also have the chance to visit the factory and learn more about the manufacture of our membranes. In order to optimize the quality of our premium teaching and guarantee sustainable competence, the number of participants is limited to 8 people per course. At the end of your training session, your participation and success will be validated by the delivery of an official ELBE certified installer certificate.

Schedule

Day 1

Arrival until 8.00 am	Individual arrival of the participants and greeting, presenting the schedule
8.30 am	Theoretical instruction: presentation Elbtal Plastics GmbH & Co. KG, product presentation ELBE Pool Surface® reinforced swimming pool membranes and accessories basic operations when installing, factory tour
11.15 am	Practical instruction: welding equipment and required tools, simple seam, T-seam
1.00 pm	Lunch break
2.00 pm – 5.30 pm	Practical instruction: corners

Day 2

8.00 am	Theoretical instruction: straight stairs, installation of the fittings
9.30 am	Practical instruction: straight stairs
1.00 pm	Lunch break
2.00 pm – 5.30 pm	Practical instruction: straight stairs, Non-Slip, installation of the fittings with the membrane

Day 3

8.00 am	Practical instruction: finalization straight stairs, clarification of open issues
10.00 am	Theoretical instruction: roman steps, free form pool
1.00 pm	Lunch break
2.00 pm – 5.30 pm	Practical instruction: crossover wall to roman steps

Day 4

8.00 am	Practical instruction: roman steps
10.00 am	Theoretical instruction: welding technique T-seam, overflow gutter, professional installation of ISLAND DREAMS and Royal reinforced pool membranes
1.00 pm	Lunch break
2.00 pm	Practical instruction: welding technique T-seam, overlapping welding embossed swimming pool membranes
3.30 pm	Answering open questions, certificate handover
4.00 pm	Approval / end of course

More information and dates on:
www.ELBEpools.com
Please send your registration to:
info@elbtal-plastics.de
If you have questions, call us:
+49 3523 5330-201

The following materials
are to be brought along:

own work clothes,
safety shoes,
knee pads,
possibly safety gloves

ELBE Pool Surface® training course

General information

Course duration: 4 days
Monday until Thursday
8.00 am until ca. 5.30 pm

Max. number of
Participants: 8 persons per course
Language: German, English

Location

Elbtal Plastics GmbH & Co. KG
Grenzstr. 9 | 01640 Coswig | Germany

Phone: +49 3523 5330-0
Telefax: +49 3523 5330-222
E-mail: info@elbtal-plastics.de



Marketing-communication support & samples

Do you have questions that we haven't answered yet? We will be happy to provide you with further information.
You will find your **ELBE Pool Surface®** partner and customer service at the following address: www.elbepools.com/contact/

Note: Details of available languages in our brochures refer to **digital versions**.

Would you like to know in which languages the printed brochures are available? Do not hesitate to contact us.

Catalogues and Brochures



Product Catalogue #1370

General presentation of the **ELBE Pool Surface®** and **ELBE Natural Surface®** products, with brief description of colors, article codes and package.

Format: DIN A4

Languages: DE | EN | FR | IT | ES | PL | RU



Consumer Brochure #1363

Complete presentation of the **ELBE Pool Surface®** range for private pools, with illustrative visuals.

Available only in digital version.

Format: DIN A5

Languages: DE | EN | FR | ES | PL | RU



Commercial Brochure #1360

Complete presentation of the **ELBE Pool Surface®** range for public pools and communities, illustrated with atmospheric photos.

Available only in digital version.

Format: DIN A5

Languages: DE | EN

Technical Brochures



Installation Manual #1371

Step-by-step explanations of the installation of **ELBE Pool Surface®** reinforced membranes. Text and illustrative photos.

Format: DIN A4

Languages: DE | EN



Installation Manual **ULTIMATE BORDER™** #1406

Explanations, step by step, of the installation of the **ULTIMATE BORDER™** friezes. Text and illustrative photos.

Format: DIN A4

Languages: DE | EN | IT



Maintenance Guide #1364

Details and instructions for maintaining **ELBE Pool Surface®** reinforced membranes. Text and illustrative photos.

Format: DIN A6

Languages: DE | EN | ES | FR | IT | RU



elite® #1365

Complete presentation of elite®, detailed arguments concerning the many advantages and guarantee of this product. With photos and color samples.

Format: DIN A4
Languages: DE | EN | ES | FR | IT | RU



ISLAND DREAMS #1366

Complete presentation of the ISLAND DREAMS range, with photos and color samples.

Format: DIN A4
Language: no text



PEARL #1408

Complete presentation of the PEARL range, with photos and color samples.

Format: DIN A4
Language: no text



Royal #1409

Complete presentation of the Royal range, with photos and color samples.


Format: DIN A4
Language: no text



ULTIMATE BORDER™ #1373

Full presentation of ULTIMATE BORDER™, detailed arguments about the many advantages and guarantee of this product. With photos and color samples.

Format: DIN A4
Languages: DE | EN | ES | FR | IT | RU



pure #1433

Illustrated with color samples.

Format: DIN A4
Language: EN

Membrane collections of pool and pond membranes



Classic #1369



SUPRA #1368




Natural pool and swimming pond membranes

ELBE Natural Surface® #1367

Pool membranes
ELBE Pool Surface®

Dimensions: 9.5 x 15 cm | Language: EN

Catalogues and Brochures



Product Catalogue #1414

Contains the complete range of **ELBE Natural Surface®**, as well as general product information, article numbers and miscellaneous information.

Format: DIN A4
Languages: DE | EN | FR | PL



Brochure #1415/16

Illustrated with samples and photos from the Natural PEARL and Natural SUPRA range of natural pools and swimming pools.

Format: DIN A4
Languages: DE | EN | FR



WE ARE MEMBERS OF



National Spa & Pool
Institute of South Africa



APP
Asociación de
Profesionales de la
Piscina, A.C.

asofap

ASOCIACIÓN ESPAÑOLA
DE PROFESIONALES
DEL SECTOR PISCINAS

ELBTAL
PLASTICS

Elbtal Plastics GmbH & Co. KG
Grenzstr. 9
01640 Coswig | Germany

☎ +49 3523 5330-0
☎ +49 3523 5330-222
✉ info@elbtal-plastics.de

www.elbtal-plastics.de
www.ELBEpools.com

A member of
kap flexible
films

rev. EN 11.22